

IVETT & REED

QUALITY SET IN STONE

615 Newmarket Road, Cambridge, CB5 8PA
 Tel: 01223 213500 Fax: 01223 249150
 Email: info@ivettandreed.co.uk
 Web: www.ivettandreed.co.uk



BELTRAMI SLATE TILES
RETAIL PRICE LIST
1st JULY 2018

PRICES INCLUDE VAT AT 20%

DELIVERY CHARGES

Pallet Courier with tail lift (NOTE - delivery to the kerbside only):

Delivery to most of mainland UK: £72 inc VAT per pallet (max 1,000kg per pallet - some orders will incur multiple charges)

Additional small order packing charge: £24 inc VAT (for orders of less than 10m²)

Larger orders may be delivered by articulated truck with hi-ab crane (subject to location and access). Please contact us for details.

AVAILABILITY / LEAD TIMES

No tile stock is held at our Cambridge premises.

For products available from stock in Belgium, delivery can normally be made to a customer in the UK within 10 working days.

Lead times vary for production and special order items. Please contact us for more information.

HOW TO ORDER:

By telephone: Call us on 01223 213500. A member of our sales team will be happy to discuss and process your order for you.

By email: Alternatively email us at info@ivettandreed.co.uk with details of the products required and your contact details.

Material name: ARDESIA NERA
Stone type: Slate
Country of origin: China
Wear resistance: ④ Good - suitable for domestic and commercial use - sealing recommended.
Typical appearance: Basic grey-black colour with a naturally rough, but relatively smooth riven surface.

Special notes: The presence of iron in Ardesia Nera is an intrinsic characteristic of this material and may or may not appear later on. The presence of iron cannot be detected beforehand and can not be selected accordingly. Therefore the appearance of rust stains after installation can not be a reason for complaint.

Finish	Format	Dimensions	Item Code	Per	0-10m ²	>10m ²	>100m ²	>150m ²
Stonepanels	Stonepanels	60 x 15 x 1.2 to 2 cm	BE-AN-SP-NC-01	△ ☼ m ²	£52.00	£46.80	£41.60	£39.00
	Stonepanels Corners (2 pcs/corner)	30 x 15 x 1.2 to 2 cm	BE-AN-SP-NC-02	△ ☼ pc	£5.00	£4.50	£4.00	£3.75
Minipanel	Minipanel	60 x 15 x 1.2 to 2 cm	BE-AN-MP-NC-01	△ ☼ m ²	£69.00	£62.10	£55.20	£51.75
	Minipanel Corners (2 pcs/corner)	30 x 15 x 1.2 to 2 cm	BE-AN-MP-NC-02	△ ☼ pc	£10.00	£9.00	£8.00	£7.50
Stoneskin	Stoneskin	60 x 15 x 1.5 to 3 cm	BE-AN-BS-SS-01-X	△ ☼ m ²	£72.00	£64.80	£57.60	£54.00
	Stoneskin Corners (2 pcs/corner)	30 x 15 x 1.5 to 3 cm	BE-AN-BS-SS-02-X	△ ☼ pc	£10.00	£9.00	£8.00	£7.50
Mosaics - Natural Cleft	Type A (4 x 2cm)	30.5 x 30.5 x 1 cm	BE-AN-BM-NC-01	△ m ²	£72.00	£64.80	£57.60	£54.00
	Type B (4 x 2cm)	30.5 x 30.5 x 1 cm	BE-AN-BM-NC-02	△ m ²	£72.00	£64.80	£57.60	£54.00
	Type C (2-5 x 2cm)	30.5 x 30.5 x 1 cm	BE-AN-BM-NC-03	△ m ²	£79.00	£71.10	£63.20	£59.25
	Type M2 (2.3 x 2.3cm)	30.5 x 30.5 x 1 cm	BE-AN-BM-NC-04	△ m ²	£64.00	£57.60	£51.20	£48.00
	Type M4 (4.9 x 4.9cm)	30.5 x 30.5 x 1 cm	BE-AN-BM-NC-05	△ m ²	£64.00	£57.60	£51.20	£48.00
	Type S1 (Random x 1cm)	30.5 x 30.5 x 1 cm	BE-AN-BM-NC-06	△ m ²	£95.00	£85.50	£76.00	£71.25
Mosaics - Hand Cleft	Type S2 (2.5 x 5cm)	30 x 30 x 1 to 1.5 cm	BE-AN-BM-HC-07	△ m ²	£91.00	£81.90	£72.80	£68.25

Material name: BLACK SLATE (!!)
Pseudonyms: Pitangui Black Slate
Stone type: Slate
Country of origin: Brazil
Wear resistance: ⑤ High - suitable for domestic and commercial use - sealing recommended.
Typical appearance: Basic grey-black colour with a naturally rough, but relatively smooth riven surface.

!! Please be advised that this material can have size tolerances of -2 mm up to +2 mm in thickness, size and squareness depending upon the size of the tiles.

Special notes: Black Slate is a stratified stone, therefore the edges lay notched to some extent. It is also possible that the surface scales off after being cleaned a few times; this ends once the hard core of the stone has been reached.

Finish	Format	Dimensions	Item Code	Per	0-10m ²	>10m ²	>100m ²	>150m ²
Natural Cleft (riven)	Tiles	90 x 60 x 1.5 cm	BE-BS-TL-NC-04-X	△ ☼ m ²	£56.00	£50.40	£44.80	£42.00
	Tiles	90 x 90 x 1.5 cm	BE-BS-TL-NC-05-X	△ ☼ m ²	£72.00	£64.80	£57.60	£54.00
	BELTRALINE Tiles	40 x 40 x 1 cm calibrated	BE-BS-BT-NC-02	△ ☼ m ²	£37.00	£33.30	£29.60	£27.75
	BELTRALINE Tiles	50 x 50 x 1 cm calibrated	BE-BS-BT-NC-03	△ ☼ m ²	£38.00	£34.20	£30.40	£28.50
	BELTRALINE Tiles	60 x 30 x 1 cm calibrated	BE-BS-BT-NC-04	△ ☼ m ²	£36.00	£32.40	£28.80	£27.00
	BELTRALINE Tiles	60 x 40 x 1 cm calibrated	BE-BS-BT-NC-05	△ ☼ m ²	£37.00	£33.30	£29.60	£27.75
	BELTRALINE Tiles	60 x 60 x 1 cm calibrated	BE-BS-BT-NC-06	△ ☼ m ²	£38.00	£34.20	£30.40	£28.50
	BELTRALINE Tiles	60 x 60 x 1.3 cm calibrated	BE-BS-BT-NC-07-X	△ ☼ m ²	£48.00	£43.20	£38.40	£36.00
	Opus Incertum (Crazy Paving)	1-2 cm	BE-BS-CP-NC-01	△ ☼ m ²	£49.00	£44.10	£39.20	£36.75
	Skirting	40 x 7 x 1 cm	BE-BS-SK-NC-01	△ lm	£12.00	£10.80	£9.60	£9.00
	Skirting	50 x 7 x 1 cm	BE-BS-SK-NC-02	⊗ △ lm	£12.00	£10.80	£9.60	£9.00
	Skirting	60 x 7 x 1 cm	BE-BS-SK-NC-03	△ lm	£12.00	£10.80	£9.60	£9.00
	BELTRALINEA Strips	60 x 7 x 1 cm	BE-BS-BS-NC-01-X	△ ☼ m ²	£44.00	£39.60	£35.20	£33.00
	BELTRALINEA Strips	60 x 14 x 1 cm	BE-BS-BS-NC-02-X	△ ☼ m ²	£44.00	£39.60	£35.20	£33.00
	BELTRALINEA 3D Strips	5 / 7 / 14 cm x 1 / 1.5 / 2 cm	BE-BS-3D-NC-01	⊗ △ ☼ m ²	£64.00	£57.60	£51.20	£48.00

Material name: KAVALAS (!!)
Stone type: Slate
Country of origin: Greece
Wear resistance: ④ Good - suitable for domestic and commercial use - sealing recommended.
Typical appearance: A generally grey coloured slate with colour accents (white, yellow, brown).

!! Please be advised that this material can have size tolerances of -2 mm up to +2 mm in thickness, size and squareness depending upon the size of the tiles.

Finish	Format	Dimensions	Item Code	Per	0-10m ²	>10m ²	>100m ²	>150m ²
Antico (tumbled)	Barrettes	4 to 5 cm	BE-KV-BR-AN-01	☼ m ²	£98.00	£88.20	£78.40	£73.50
Natural Cleft (riven)	Barrettes	4 to 5 cm	BE-KV-BR-NC-01	☼ m ²	£101.00	£90.90	£80.80	£75.75
	Random Lengths	15 x 1.5 to 3 cm	BE-KV-RL-NC-02	☼ m ²	£56.00	£50.40	£44.80	£42.00
	Random Lengths	40 x 1.5 to 3 cm	BE-KV-RL-NC-01	☼ m ²	£71.00	£63.90	£56.80	£53.25
	Opus Incertum (Crazy Paving)	1 to 2 cm	BE-KV-CP-NC-01	△ ☼ m ²	£47.00	£42.30	£37.60	£35.25
	Paving Stones (Setts)	Random x 15 x 3 to 5 cm	BE-KV-PV-NC-01	☼ m ²	£73.00	£65.70	£58.40	£54.75

Material name: MONTAUK (!!)
Pseudonyms: Montauk Green, Brazilian Green
Stone type: Slate
Country of origin: Brazil
Wear resistance: ④ Good - suitable for domestic and commercial use - sealing recommended.
Typical appearance: Basic grey-green colour with a natural cleft (riven), but relatively smooth surface.

!! Please be advised that this material can have size tolerances of -2 mm up to +2 mm in thickness, size and squareness depending upon the size of the tiles.

Special notes: Montauk is a stratified stone, therefore the edges lay notched to some extent. It is also possible that the surface scales off after being cleaned a few times; this ends once the hard core of the stone has been reached.

Finish	Format	Dimensions	Item Code	Per	0-10m ²	>10m ²	>100m ²	>150m ²
Natural Cleft (riven)	BELTRALINE Tiles	40 x 40 x 1 cm calibrated	BE-MK-BT-NC-01	△ ☼ m ²	£36.00	£32.40	£28.80	£27.00
	BELTRALINE Tiles	60 x 30 x 1 cm calibrated	BE-MK-BT-NC-02	△ ☼ m ²	£36.00	£32.40	£28.80	£27.00
	BELTRALINE Tiles	50 x 50 x 1 cm calibrated	BE-MK-BT-NC-03	△ ☼ m ²	£38.00	£34.20	£30.40	£28.50
	BELTRALINE Tiles	60 x 60 x 1.3 cm calibrated	BE-MK-BT-NC-04-X	△ ☼ m ²	£42.00	£37.80	£33.60	£31.50
	Skirting	40 x 7 x 1 cm calibrated	BE-MK-SK-NC-01	⊗ △ lm	£10.00	£9.00	£8.00	£7.50
	Skirting	50 x 7 x 1 cm calibrated	BE-MK-SK-NC-02	⊗ △ lm	£10.00	£9.00	£8.00	£7.50
	Skirting	60 x 7 x 1 cm calibrated	BE-MK-SK-NC-03	⊗ △ lm	£10.00	£9.00	£8.00	£7.50

Material name: OYSTER (!!)
Stone type: Slate
Country of origin: China
Wear resistance: ④ Good - suitable for domestic and commercial use - sealing recommended.
Typical appearance: Multi-coloured slate (white, yellow, brown) with a natural cleft (riven) finish.

!! Please be advised that this material can have size tolerances of -2 mm up to +2 mm in thickness, size and squareness depending upon the size of the tiles.

Special notes: Oyster is a stratified stone, therefore the edges lay notched to some extent. It is also possible that the surface scales off after being cleaned a few times; this ends once the hard core of the stone has been reached.

Finish	Format	Dimensions	Item Code	Per	0-10m ²	>10m ²	>100m ²	>150m ²
Stonepanels	Stonepanels	60 x 15 x 1.2 to 2 cm	BE-OY-SP-NC-01	△ ☼ m ²	£56.00	£50.40	£44.80	£42.00
	Stonepanels Corners (2 pcs/corner)	30 x 15 x 1.2 to 2 cm	BE-OY-SP-NC-02	△ ☼ pc	£5.00	£4.50	£4.00	£3.75
Stoneskin	Stoneskin	60 x 15 x 1.5 to 3 cm	BE-OY-BS-SS-01	△ ☼ m ²	£76.00	£68.40	£60.80	£57.00
	Stoneskin Corners (2 pcs/corner)	30 x 15 x 1.5 to 3 cm	BE-OY-BS-SS-02	△ ☼ pc	£11.00	£9.90	£8.80	£8.25

Material name: RUSTY SLATE
Stone type: Slate
Country of origin: China
Wear resistance: ④ Good - suitable for domestic and commercial use - sealing recommended.
Typical appearance: Multi-coloured slate (grey, orange, brown) with a natural cleft (riven) finish.

Finish	Format	Dimensions	Item Code	Per	0-10m ²	>10m ²	>100m ²	>150m ²
Stonepanels	Stonepanels	60 x 15 x 1.2 to 2 cm	BE-RS-SP-NC-01-X	△ ☼ m ²	£47.00	£42.30	£37.60	£35.25
	Stonepanels Corners (2 pcs/corner)	30 x 15 x 1.2 to 2 cm	BE-RS-SP-NC-02-X	△ ☼ pc	£5.00	£4.50	£4.00	£3.75
Minipanel	Minipanel	60 x 15 x 1.2 to 2 cm	BE-RS-MP-NC-01-X	△ ☼ m ²	£66.00	£59.40	£52.80	£49.50
	Minipanel Corners (2 pcs/corner)	30 x 15 x 1.2 to 2 cm	BE-RS-MP-NC-02-X	△ ☼ pc	£10.00	£9.00	£8.00	£7.50
Rockpanels	Rockpanels (with anchor)	56 x 15.2 x 2.5 to 4 cm	BE-RS-RP-NC-01-X	☼ m ²	£82.00	£73.80	£65.60	£61.50
	Rockpanels Corners (2 pcs/corner)	25.5 x 15.2 x 2.5 to 4 cm	BE-RS-RP-NC-02-X	☼ pc	£11.00	£9.90	£8.80	£8.25

Material name: SIKIS (!!)
Stone type: Slate
Country of origin: Greece
Wear resistance: ④ Good - suitable for domestic and commercial use - sealing recommended.
Typical appearance: Multi-coloured slate (grey, orange, brown) with a natural cleft (riven) finish.

!! Please be advised that this material can have size tolerances of -2 mm up to +2 mm in thickness, size and squareness depending upon the size of the tiles.

Finish	Format	Dimensions	Item Code	Per	0-10m ²	>10m ²	>100m ²	>150m ²
Natural Cleft (riven)	Barrettes	4-5 cm	BE-SK-BR-NC-01	☼ m ²	£101.00	£90.90	£80.80	£75.75

GLOSSARY - FINISHES

Antico	Tiles are turned around in a tumbling machine filled with ceramic pebbles. This gives the appearance of old tiles worn by time with a natural patina.
Aquaflamed	The tile is first treated with water at high pressure (hydrojet) and the brushed, to accentuate the intense natural colour of the stone.
Bouchardino	The surface of the stone is bush hammered then brushed, to give the stone a relatively smooth textured surface.
Brossato	Tiles have the diamond cut surface made smoother with the aid of brushes under high pressure. This light textured finish is relatively anti-slip.
Bush Hammered	The stone is worked with a bush hammer to create small wells in the surface. This gives the stone a rough and non-slip surface.
Chiselled	Grooves are drawn parallel or slightly oblique to the edges of the tiles. This operation gives the stone a rough and non-slip surface.
Convento	Random lengths of natural stone with a fixed width of 20cm and an antiqued finish.
Diamond Cut	The raw stone is cut into unfinished slabs. The type of saw that is used determines whether parallel ridges or circular strokes can be seen on the surface.
Enodesign	Unique anti-slip surface made up of numerous minute off-white points on a grey background, as though very finely hammered.
Enoluce	The first matte and dark finish in blue stone that can be used outside, to bring out the striking mineral complexity of Belgian blue limestone.
Enopasso	Old-style Belgian blue paving for a contemporary setting: dark grey to satiny black colour with an aged patina and particularly soft to the touch.
Enopure	Contemporary Belgian blue flagstones, nuanced light grey with blue lines. Smooth texture with saw marks which will soften over time.
Enoskin	A beautiful, light, homogeneous grey which is slightly grainy but with a soft and structured appearance with anti-slip properties.
Enostyl (Dark/Light)	Grey tiles with an aged patina, worn edges and corners slightly broken. A reminder of flagstones in old castles and churches.
Enotouch	A deep grey blue finish bringing out the stone's shells and crinoids, with a smooth and soft surface for a satin-like appearance.
Flamed	The surface is brought into contact with flames then immediately cooled with water. The temperature shock gives the stone a fractured, non-slip texture.
Gelido	Unique surface treatment in which the tile retains its rough edge but with a surface that is nonetheless relative flat (anti-slip effect).
Hand Cleft	Rough and natural looking. Cleaving the stones by hand reveals the original aspect of the stone visible - big flakes, cavities and bulges of various shapes.
Hand Honed	The saw marks from diamond cutting are removed by rubbing the surface with sand and water. The surface can still contain some fine visible saw marks.
Henegouwen Antic	Old fashioned and warm flagstones with a worn and trammelled appearance, slightly irregular texture and slightly broken corners.
Heritage	Tiles are half hand honed, so that some roughness is retained, then brushed. This aged effect gives the flooring a used look and breathes authenticity.
Honed	Surfaces are fine rubbed using different grades of abrasives under factory conditions. The surface is smooth and matt without visible grooves.
Klinkstone	Warm and old-fashioned with a slightly irregular texture and slightly broken corners, a reminder of old castles and abbeys.
Natural Cleft (riven)	A finish achieved when layered stones (usually slate or sandstone) are split, or cleft, leaving a naturally rough surface which is uneven and varied.
Polished	Machined with fine abrasives to give a reflective surface showing strong colours. The degree of polishing is determined by the mineral elements in the stone.
Sabbiatino	The surface is worked with a very fine bush hammer, then brushed, to give the stone a relatively smooth textured surface.
Sablino	The surface is honed or hand honed, then sandblasted under high pressure, then lightly brushed. This gives a semi-rough finish which feels very natural.
Satino	Tiles are first hand honed and flamed, then brushed. This semi-rough finish is relatively antislip, with easy maintenance and less sensitivity to scratches.
Scraped	The surface is hand honed with water only. This gives a darker finished surface than normal hand honing (which is with the aid of sand or a diamond).
Sensato	Fine structure obtained by mechanical treatment. The smooth structure makes it pleasant to the touch.
Shotblasted	The surface is blasted with fine metal fragments under high pressure and afterwards lightly brushed. This creates a rough look.
Skintouch	Tiles are brushed under factory conditions, to give the surface a light textured feel like leather.
Stonewashed	The stone is treated in a bath of ceramic chips. The scouring effect rounds off the sharp edges and gives the surface a rich patina.
Versailles	The surfaces of the tiles are hand honed and brushed, then the edges are milled to give a rustic appearance.
Vieux Manoir	The surface of the tile is rustically distressed by a combination of hand honing, milling and brushing. The edges are highly distressed.
Vintage	First the tile is lightly scoured, then it is aged using a roller washing system.

GLOSSARY - PRODUCT FORMATS

Barrettes	Rough pieces of riven or tumbled slate, which can be stacked to form wall cladding with the look of dry stone walling.
BELDECO Tiles	Small square tiles (19.7 x 19.7 cm) available in a range of materials and finishes to create retro vintage floor patterns.
BELTRACER Tiles	A top ± 4 mm layer of natural marble is bonded onto an 8mm thick composite underground. These tiles have a small bevel at the edges.
BELTRALINE Tiles	A range of thin calibrated stone tiles. Thinner tiles are lighter, therefore easier to transport and lay. This also allows large format tiles to be fitted on thin substrates.
BELTRALINEA Strips	A range calibrated natural stone strips for wall cladding. Available in widths of 5cm, 7cm and 14cm, the strips can be fitted in a number of decorative patterns.
BELTRALINEA 3D	Strips are supplied in 3 widths (5cm/7cm/14cm) and 3 thicknesses (1cm/1.5cm/2cm) to allow an interesting multi-depth pattern to be created on a wall.
Minipanel	Thin strips of natural cleft stone (1.2cm to 2cm thick) are bonded together into single units for wall cladding.
Mosaics	Small pieces of 1cm thick stone glued onto a mesh backing. Up to 9 patterns are available, suitable for both classic and contemporary settings.
Old Paving Stone	Thick paving stones with a distressed or worn look, ideal for creating natural looking patios, paths or driveways.
Paving Stones (Setts)	Small square or rectangular quarried stones, formerly used for paving roads, now used as decorative stones in landscape architecture.
Random Lengths	Tiles are supplied in a fixed width but in random lengths. The lengths generally fall within a range of 40cm to 80cm, but this can vary for different products.
Rockpanels	Rough pieces of natural stone bonded to a concrete panel to give any wall or façade the look of stacked stones.
Roman Pavement	Tiles are supplied in a set pattern (available on request). Orders must be placed in complete modules.
Skirting	Most floor tiles can be supplied with 7cm high skirting in the same material, for a perfect finish. The top edge is finished.
Standard Pieces	Finished on all sides - generally used for kerbing.
Stonepanels	Pieces of natural cleft stone (1.2cm to 2cm thick) are bonded together into single units for wall cladding.
Stoneskin	Pieces of rough stone (1.5cm to 3cm thick) are bonded together into single units for wall cladding.
Tiles	Standard (non-calibrated) tiles. Most tiles have straight sawn edges unless specified otherwise, or unless supplied in an aged finish (e.g. Antico).
Wall Tiles	1cm thick tiles with bevelled edges, specially designed for fixing to walls in kitchens or bathrooms.

E & OE

PRICES SHOWN ARE TO SUPPLY ONLY - SEE PAGE 1 FOR DELIVERY CHARGES

ALL PRODUCTS ARE SUBJECT TO AVAILABILITY AND PRICES ARE SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE